



Landscape Calendar: Prescott, Prescott Valley, Chino Valley

Note: Average maximum and minimum temperatures are based on 23 year Prescott averages (2000 to 2023).

JANUARY

Avg Temps: Max = 52.6° F; Min = 23.6° F

Maintenance

- Water evergreens monthly, deciduous plants every 6-8 weeks now through March; established trees to a depth of 3 ft and shrubs to depth of 2 ft
- Prune evergreens now to minimize sap and resin flow from branches
- Mulch to conserve soil moisture
- Protect frost-tender plants from freezing (cover plants or move containers to a protected location)
- Roses: clean up debris around canes; mulch to protect from freezing; water if no rain or snow

Planting

- Sow seed indoors for transplanting when outdoor temperatures moderate
- Cold-moist stratify seeds for later sowing

FEBRUARY

Avg Temps: Max = 54.9° F; Min = 25.3° F

Maintenance

- Clean and repair drip irrigation systems
- Prune deciduous trees
- Prune shrubs that bloom after June
- Do not prune plants that have frost damage; a late frost could cause further damage
- Protect frost-tender plants from freezing
- Remove pine, cypress, and junipers killed by bark beetle before they become active again in spring

Planting

- Prepare soils for early spring seeding/planting by adding well-composted organic matter (add nitrogen and phosphorus fertilizers at planting time)
- Plant bare-root trees, shrubs, and roses
- Plant container-grown landscape plants now through March

MARCH

Avg Temps: Max = 61.2° F; Min = 31.2° F

Maintenance

- Adjust irrigation if necessary
- Prune roses
- Continue pruning shrubs that bloom after June
- Cut ornamental grasses back to new growth
- Apply dormant oil before leaf emergence to help manage scale insects, aphids, and mites on deciduous trees and shrubs
- Clean up frost-damaged/dead portions of perennials

Planting

- Divide and re-plant summer and fall blooming perennials now through April
- Sow seeds indoors for transplanting
- Sow seeds of perennials that germinate in cold temperatures (e.g. penstemon) and sow seeds of cool-weather annuals (e.g. larkspur) outdoors
- Plant bare-root trees, shrubs, and roses
- Plant wildflower seeds 1 month before last hard frost
- Plant container-grown landscape plants
- Plant spring annuals for color (e.g. pansies, poppies, primroses, kale, snapdragons, violas, etc.)
- Transplant dormant trees and shrubs and water transplants weekly if no rain or snow

APRIL

Avg Temps: Max = 68.8° F; Min = 37.5° F

Maintenance

- Divide plants, fertilize, and water as in March
- Protect tender plants from frost
- Fertilize roses after leaves emerge
- Fertilize cool-season turf grasses
1/2 lb N/1000 sq ft



- Apply pre-emergent herbicide to ground covers and cool-season grasses to control summer annual weeds
- Replenish mulch
- Watch for insects such as aphids and white flies
- Pull, hoe, or spray cool-season weeds before they go to seed

Planting

- Plant pasture grasses and alfalfa

MAY

Avg Temps: Max = 77.1° F; Min = 44.9° F

Maintenance

- Adjust irrigation controllers for warmer temperatures and plant growth
- Prune to remove winter damage
- Dethatch tall fescue and perennial rye (rarely needed), follow with reseeding
- Fertilize cool-season turf 1/2 lb N/1000 sq ft
- Apply mulch as days get hotter
- Watch for aphids and cutworms
- Check shrubs such as juniper and pyracantha for spider mites; control by washing dusty foliage now through August
- Check undersides of elm leaves for elm leaf beetle
- Promote beneficial insects by minimizing insecticide use and growing a variety of flowers and shrubs

Planting

- Sow seeds of frost-tender annuals (e.g. cosmos, marigold, zinnia) now through June
- Plant seedlings started indoors (wait until mid-month)
- Plant warm-season annual flowers (e.g. marigolds, zinnias, petunias, etc.)

JUNE

Avg Temps: Max = 88.1° F; Min = 54.4° F

Maintenance

- Prune climbing roses after bloom
- Prune or remove spent blooms from spring blooming shrubs after bloom (e.g. forsythia, lilac, wisteria)
- Summer prune plants that tend to sucker when young
- Fertilize warm-season turf now through July (don't fertilize cool-season turf now through August)
- Feed roses with a complete, balanced fertilizer (follow product directions for fertilizing frequency through summer)
- Feed and prune flowering shrubs after bloom
- Collect seeds of early flowering plants now through July

- Remove faded blooms to prolong flowering
- Mow early-flowering meadows as hot weather reduces flowering and seeds ripen; cut to 6 in. - 12 in.
- Allow wildflowers to go to seed for next year's crop
- Check shrubs such as junipers and pyracantha for spider mites
- Check for damage from grasshoppers, aphids, caterpillars, and other insects
- Monitor roses for fungal disease and treat with fungicide
- Mulch plants to minimize evaporation loss and to prevent annual weed growth

Planting

- Sow seeds of heat-loving plants now through August
- Plant warm-season grasses (e.g. buffalo, blue grama) now through August & fertilize 1/2 lb N/1000 sq ft
- Consider killing and removing conventional warm-season turf and planting drought-tolerant species such as blue grama or buffalograss

JULY

Avg Temps: Max = 90.1° F; Min = 61.7° F

Maintenance

- Continue to deep water to a depth of 3 ft for trees and 2 ft for shrubs until the monsoon rains begin
- Adjust automatic irrigation controllers to compensate for monsoonal moisture
- Check drip systems to ensure not clogged and appropriately placed for plant size (out to drip line on trees and large shrubs)
- Divide iris and day lilies when finished blooming and remove seed pods
- Collect and sow seeds as noted in June
- Dethatch / aerify warm-season turfs if needed

Planting

- Plant and fertilize warm-season lawns (1/2 lb N/1000 sq ft)



AUGUST

Avg Temps: Max = 87.0° F; Min = 59.7° F

Maintenance

- Divide spring-blooming perennials if needed
- Remove blossoms from roses and flowering shrubs to stimulate re-bloom
- Remove annual weeds (tumbleweeds) at ground level before seeds set
- Fertilize warm-season turf 1/4 lb N/1000 sq ft

Planting

- Begin planting rye, tall fescue, Kentucky bluegrass, winter barley, wheat, oats, alfalfa, and pasture grasses
- Sow perennial seeds for flowering next year (some will germinate in April)

SEPTEMBER

Avg Temps: Max = 83.0° F; Min = 52.3° F

Maintenance

- Decrease volume and frequency of watering as rains and cooling temperatures reduce need
- Remove weeds before they go to seed
- Stop fertilizing roses by month end
- Fertilize tall fescue and perennial rye 1 lb N/1000 sq ft now and again in October
- Apply pre-emergent herbicide to ground covers and cool-season turf to control winter annual weeds
- Apply glyphosate herbicides to control warm-season perennial grasses (e.g. bermudagrass, johnsongrass)
- Dethatch cool-season turf (if needed) now through October
- Clean up yard by removing dead and unproductive plants

Planting

- Divide spring and early summer blooming perennials every 2 to 4 years
- Seed next year's wildflowers now through December
- Plant spring and early summer blooming bulbs 4 to 6 weeks before the first hard frost
- Plant cool-season turf and pasture grass mixtures

OCTOBER

Avg Temps: Max = 72.8° F; Min = 40.0° F

Maintenance

- Decrease watering
- Water and mulch to protect from frost
- Fertilize tall fescue and perennial rye 1 lb N/1000 sq ft
- Fertilize Kentucky bluegrass 2 lb N/1000 sq ft
- Apply pre-emergent herbicides to control cool-season weeds in gravel, ground covers, and turf
- Clean up summer garden

Planting

- Plant cool-season flowers (e.g. pansies, snapdragons)
- Plant winter barley, rye and wheat for spring pasture and grain crops
- Plant a cover crop to build up soil organic matter - use rye, oats, barley, or fava beans

NOVEMBER

Avg Temps: Max = 61.9° F; Min = 29.8° F

Maintenance

- Decrease irrigation schedule (same amount of water, but less frequently)
- Cut back late blooming perennials
- Mulch bare ground to control cool-season weeds; will also minimize frost heaving caused by freezing and thawing
- Protect frost tender plants from freezing
- Compost grass clippings and leaves

Planting

- Plant bare-root deciduous plants from sources at least as cold as your site now through March
- Continue planting winter grains
- Transplant evergreens



DECEMBER

Avg Temps: Max = 52.2° F; Min = 23.9° F

Maintenance

- Start winter watering schedule (see January)
- Finish yard and garden clean-up
- Hot compost debris to kill over-wintering insect eggs and weed seeds
- Spread clean mulch
- Protect frost tender plants from freezing by covering or moving containers to a protected location



Planting

- Transplant deciduous trees now through March (when dormant)

Prescott – Spring Freeze Probabilities (32°) – 1922 to 2022										
Earliest	90%	80%	70%	60%	50%	40%	30%	20%	10%	Latest
Apr 11	Apr 24	Apr 30	May 5	May 9	May 12	May 18	May 21	May 26	Jun 1	Jun 17

Prescott – Fall Freeze Probabilities (32°) – 1922 to 2022										
Earliest	10%	20%	30%	40%	50%	60%	70%	80%	90%	Latest
Aug 23	Sep 23	Oct 1	Oct 6	Oct 9	Oct 13	Oct 16	Oct 20	Oct 25	Nov 1	Nov 15

Western Regional Climate Center: <http://www.wrcc.dri.edu> contains historical data, including freeze date probabilities.

Note: The average growing season in Prescott is 153 days.

Fruit and vegetable calendars:

Yavapai County Vegetable Planting Dates, Bulletin #51

Fruit Calendar for Yavapai County, Bulletin #76

Updated January 15, 2024

<http://extension.arizona.edu/yavapai>

The University of Arizona is an equal opportunity, affirmative action institution. The University does not discriminate on the basis of race, color, religion, national origin, age, disability, veteran status, or sexual orientation in its programs and activities.